Welcome to Olime Pro MV	Olime	2007#MEA≣ +*®300 ≡ ©lime Q	703FWIAE + * ® 回 く <b>こ</b> limっ の 片	
Olime	Beach your Location	Foreirig retarant at a foreir and the second	Shop by cologory Creater Martin Trig Salah Bed Explore Rems	Since by category Since the category Explore thems
ter your mobile number to Signup or logis	Britward MEMARIED	Image: Weight of the sector	Center Ling and 2.2021 Flattin And to Carl	Too Yan Marrie 2 20 / Han Lart Gar
Get OTP Copyright © Olime Pro MV 2024	SSPR+MC4, Memari, Brahmanp	Trending Shops :	Paranas Bar Picto / A Piece Antru Cari	Hise and Beek Cockies 7 45/300 gm Antime Cart
	Continue with this location	Pace Tax Ster Spot Polle Mea		
M <b>≣∧≣ *</b> %⊙	7/0 PM <b>E ∧ E</b> + € Œ	701P#EAE + + + + + =	704 194월 4월 수영 (12)	7.04PMEAE +**
v≣x≣ +⊚⊕ Cart(3) 👔	703 FMIE A 프 수영(교) 《 Delivery address	2017/Ⅲ ▲ Ξ · · · · · · · · · · · · · · · · · ·	754FM/■A≡ + ≪ ααΣ ζ My Orders	7.64 PM 볼 수 속 く Invoice
Cart (3)	2014€AE +€© ζ Delvery address Nore address 2014420	255 PME A ■ + ® © ✓ Payment	284 MB A B + 1 (20) C My Orders Order 10:2 view State Malay	764 MIEAE + €   Invoice + €
► ■ ← € (2) Cet(3) @ Cet(3) @	201 MVE A E + C C C Delvery address Nove Matt (AddMAGR	2011 PNE ▲ ■ + @ @D ✓ Payment → Chicken Log Pacet Gry 01. Three (Bk.20) → Chicken Log Pacet Gry 02. Three (Bk.20) → Chicken Log Pacet Gry 02. Three (Bk.20) B.400	284 m € A € ← € (20) C My Orders Order (9, 2 // w Order Salt) S Ottom Lag Peop (9, 54) Peop (9, 13) S Ottom Lag Peop (14) Peop (12) Peop	7.04 M 単 人名 ・ 中 中 く Invoice Instant (1010)101000 Caster and Tologian Caster and Caster and Tologian Caster and Tologian Cast
Cart (3)	201 MVE A E + C (D) C Delvery address Nove ANY SABABAGR Nove B77554275	ZOLE PAUE ▲ ■	284 m € 4 € €00 C My Orders Order (h. 2 // w Order Sin 10) Order (h. 2 // w Order Sin 10) Order (h. 2 // (h. 10) € 10) Order (h. 10) € (h. 10)	7.04 PM & A B + 4 C Envoice Instant / C Sector Vinitability Sector Vinitability Party Lan Lan Landon Party Lan Lan Landon Party Landon Lan Landon
Cart (3)	2014EAE ← € € C Delvery address  Nor  Mor  Mor  Are  Are  Are  Are  Are  Are  Are  A	255 MVIII A  Payment  C Payment  C Payment  C C Payment  C C C C C C C C C C C C C C C C C C	204/10 A B + C + C + C + C + C + C + C + C + C +	7.04 PME         A IME
Cert (3)	20114EAE ← € € C Delvery address  Nov  Motion  Nov  Motion  Delvery address  Nov  Motion  Delvery address  Nov  Motion  Delvery address  De	2014 Mill A III     + * * * *       Y     Payment:       3     Amelian Dec Of Oy, 2014 Reco (BL120) 3       4     Amelian Dec Of Oy, 2014 Reco (BL120) 3       5     Amelian Dec Of Oy, 2014 Reco (BL120) 3       6     Bellawing Reco (BL120) 7       7     R	2011/00 A B C C C C C C C C C C C C C C C C C C	2.56 PME     A     + + + + +       V     Evocide     + + + +       Provide     Evocide     A
Cet (3) Cet (4) Cet	20174E A Z + ℃ € C Deivery address Nor MT Kult MukAKA Nor MT Subtrack A Amari, Binhnargara, Wes Lower S1974-KC4, Menarj, Binhnargara, Wes	2014/00 A.B.     Image: Compared of the compared of	Aligned A	2.04 ME     A     Image: A       Image: A     Image: A       Image: A     Image: A
A Chaine Bryon Cont (a) Cont (b) Cont (b) Cont (c) Cont (c)	2014/LEAE     ◆ € 00.       C     Dehrsy address       Wm     Mark (Sabadok,SR)       Mark     Sabadok,SR       Mark     Sabadok,SR       Mark (Sabadok,SR)     Sabadok,SR       Mark (Sabadok,SR)     Sabadok,SR       Mark (Sabadok,SR)     Sabadok,SR       Mark (Sabadok,SR)     Sabadok,SR	254 FM2         A.B.         + (C) (C)           2         Payment         -           -         -         -         -           -         -         -         -         -           -         -         -         -         -         -         -           - <td>A series and a series of the s</td> <td>ZALE AND BANK     Investor       Investor     Investor       Investor</td>	A series and a series of the s	ZALE AND BANK     Investor       Investor
	20174EAE + © CC C Dehetry address Ner Try Try Johnstvark Ner Stry Schulzer, Binningura, Wes Lesse Lesse Schulzer, Binningura, Wes Lesse Lesse Schulzer, Schulzer, Sch	7.04 #0 # A # + @ @ D           Yearment	Starter LA E     C COL       C     My Order         Order D:     Constraints       Order D:     Constraints       Order Ministric     Constraints <td></td>	
	2014/LAL +CC C Delvery abdress New Martin Statistication New Martin Statistication Stati		A way	
Cert (1) Cert (2) Cert (	ADDREASE + € € € C Debrey addreas NUE MUE MUE MUE MUE MUE MUE MUE M		Advance A and A an	ZALEANE A.E.     Invoice       V     Invoice       Invoice A.E.     Invoice A.E.
Cot (3)     C	2014 A B + C C C Debry address NU DET Schadtard C NU DE Schad		Status       Status         Status       My closes         Status       Status	Default     Invoice       Invoice     Invoice

Full Setup Video android and Web : <u>https://youtu.be/bDfol3mIOlk</u> Full iOS app making and publish video: <u>https://youtu.be/jKETjGYxVuQ</u> Publish On play store: <u>https://youtu.be/c9aNxqUts30</u>

For latest version updates follow our youtube channel

And for Updates , bugs, or problems You can contact on WhatsApp +91 7797461382 (Saturday –Sunday) . Only text Message . No call Allowed. Or You can send Email at <a href="mailto:support@renflair.in">support@renflair.in</a> / <a href="mailto:inviktacodersclub@gmail.com">inviktacodersclub@gmail.com</a> (Avalable all day)

### **Other Services:**

- For Installation charges: 3500/- (No Modification allowed)
- ✤ For iOS setup and Publish : 4500/-
- ✤ For play store publish : 999/- per App.
- For Modification or up gradation contact on whatsapp: 7797461382.
- For New Development contact on whatsapp: 7797461382.

WARNING : The purchased source code is licensed for use on a single domain only. Unauthorized use of this code on multiple domains will constitute a violation, and legal action may be taken for digital asset piracy. This license grants you lifetime use of the code for one domain, but resale, redistribution, or any form of transfer to third parties is strictly prohibited.

- 1. Purchase the Code
- 2. After Completion of the payment go to Menu → Purchased Codes.(Here You will find all your purchased Codes)
- 3. Download the code ZIP file.
- 4. You need to Have a hosting and domain . if you donot have hosting and domain purchased then buy from hostinger .Use link: <u>https://www.hostinger.in/?REFERRALCODE=1INVIKTACOD20</u> use this link then you will get flat 20% off on all hosting purchase. And you will get a free domain and SSL.
- 5. Login into your hosting panel:

(1)				B Roldi & Latit 201	400	8
Main menu	Dashboard 🕈 - Websites - invi	ktain				
nvikta.in 👻	Created: 2024-02-11				Upgrade	
Q Search						
2 Overview	Domain >	8 Hosting	S Free Email	C5 Backups	>	
B Hosting Plan +	Active	Active	Active	Daily		
Performance +		K				
? Analytics	G PageSpeed Insights	File manager	E Databases	👲 Auto ins	staller	
Security *	Run speed test					
3 Emails -	✓ Website is safe	Tips to improve				
Domains v	No malware found					
] Website •	See details					
) Give feedback	Hosting resources usage					
	33% of total resources used					<b>-</b>

6. Open File Manager and you will see public\_html folder :

C Search				1 🛛 🛈 🛇
My files	<b>A</b>			
New folder	Name 个	Size	Last modified	
Herrioider	public_html	-	20 minutes ago	drwxr-xr-x
New file				
Trash bin				
Space				
27.7 GiB / 200 GiB				
Inodes				
661334 / 2000000				
28°C	🔲 🛛 Saarda 📰 🖿 🧥	** 💿 📾 🚸 👿 🖪 🚳 🗖	s 🖉 🖪 🔹 🔨	110 @ 0x be

7. Inside public\_html Upload the ZIP file (PHP backend.zip).

## 8. Set PHP Version 7.4 (Recommended).

HOSTINGER		🕀 Refer & Earn 200 USD 🔔 🥐 🛞
Main menu	Dashboard 🕈 - Websites - inviktain	
lebsite name nvikta.in	B Installand B	Upgrade
2 Search		
ð Emails	Domain Hoting Free Email Backups Active Active Date	>
Domains +		
Website -		
) Files •	G PageSpeed Insights File manager Databases	o installer
Databases -	Nur sprev text	
Advanced •	✓ Website is safe	
DNS Zone Editor	No malware found	
PHP Configuration	aee uetans	
Cron Jobs	Hosting resources usage	
SSH Access	34% of total resources used	
PHP Info	See details	
Cache Manager		
GIT		0
*		

9. Set Version 7.4

	PHP Configuration
< Main menu	Changing the PHP version will stop all the processes on your site, it takes 1-2 minutes to complete it. Be sure to ch
Website name	know which PHP version works best for your website.
invikta.in	×
	PHP version PHP extensions PHP option
Q Search	
🖸 Emails	Version
	Choose which PHP version you world like to enable for your website
Domains	, О РНР 7.3
	• • • • • • • • • • • • • • • • • • •
C Files	O PHP 8.0
	O PHP 8.1
Databases	, O PHP 8.2
Advanced	
DNS Zone Editor	Show no longer supported PHP versions
PHP Configuration	
Cron Jobs	

10. Extract the uploaded ZIP file under public\_html folder



11. Type " / " and click on extract button ( it will extract all files inside public\_html folder )



12. Now u can delete the uploaded zip file . (optional).

## 13. Create a New Database.

📙 ностінс	ER				🛱 Refer & Earr	200 USD 📮 🕐 🙁
< Main menu		Dashboard 🏟 - Websites - in	viktain			
Nebsite name invikta.in	•	Created: 2024-02-11				Upgrade
Q Search						
Performance	¥ Å	Domain >	Hosting Active	> Free Email		,
Analytics						
Security						
Emails		G PageSpeed Insights	File manager	😂 Databases	👲 Aut	o installer
Domains		Run speed test				
Website		✓ Website is safe	Tips to improve			
🗅 Files		No malware found				
Databases		See details				
Advanced		Hosting resources usage				
						<b>U</b>

Main menu	Management 🏟 - Websites - invikta.in - Databases - Management	
rebsite name nviktalin 👻	+ Create a New MySQL Database And Database User	
Search	MySQL database name u836745399_ testmv	
) Emails	MySQL usemame u836745399_ testmv	
Domains +	Password Renfleir@8255	@
Website *	✓ Create	
Databases +		
Management	List of Current MySQL Databases And Users	
phpMyAdmin		
Remote MySQL	Q, Search	
Advanced +	MySQLDatabase ≎ MySQLUser ≎ Created at ≎ We	ibite

# 14. Then click phpMyAdmin

	.ĸ						Ļ
		+ Create a New MySQL D	atabase And Databas	e User			
< Main menu							
Website name		MySQL database na	u836745399_	Database Name			
invikta.in	<b>.</b>						
		MySQL userna	u836745399_	Username			
Search							
	*	Passwo	Password				<i>•••</i>
🖾 Emails	·						
Domains	-		🗸 Create				
_							
Website	Ť						
🗅 Files		🗱 List of Current MySQL [	Databases And Users				
Databases							
Management		Q Search					
phpMyAdmin							
		MySQL Database ≑	MySQL User ≑	Created at \$	Website	Ŋ	
Remote MySQL		1.926745200 testmi					
Advanced		1MB	u836745399_testmv	2024-11-11	invikta.in	Enter phpMyAdmin	1



15. Upload the SQL file (database.sql) after clicking **import**.

Once the upload is completed then u will find an option IMPORT in the left bottom of the above mentioned page . click on thet and your database will be added.



#### **Connecting Database with Files**

• Open File Manager  $\rightarrow$  public\_html  $\rightarrow$  app  $\rightarrow$  pay  $\rightarrow$  db.php  $\rightarrow$  line no 1.

× db.php	)		í
>>app>pay	> db.php		
<pre>2 Sprr="select 4 Sss=mysqli_ 5 Sttt=mysqli_ 6 Sappname=\$tt 8 Sflatlogo=\$t 9 Sroute="app" 0 Sadmin_notif 1 Slic=\$ttt['t 2 Stax=\$ttt['t 3 Sphone=\$ttt['t 4 Swp=\$ttt['t] 5 Smin=\$ttt['m</pre>	<pre>* from `settings` where id=1"; guery(Scon,Srr); [ applage']; [ applage']; t[ 'Altaloge']; y=Stt[ 'notify']; lense_[Ky']; ax ]; phone']; atsapp'; n_order_memount'];</pre>	K	
<pre>16 \$free_delive 17 \$radius=\$ttt 18 \$perkm=\$ttt[ 19 \$uri=\$_SERVE 20 \$route2="app 21</pre>	ry-Sttt['free_delivery']; ['delivery_radius']*100; perkm']; R['HTTP_HOST']; ";		

• Open File manager  $\rightarrow$  pubic\_html  $\rightarrow$ admin  $\rightarrow$ core $\rightarrow$ .env $\rightarrow$ Line no 14-16

` ´	G G StVT130-files.nstgr.io/141695dd4721914b/files/public_ntml/admin/core/.env
$\times$	< .env
•	A Admin A core A env
7	LOG_CHANNEL=stack
8	LOG_DEPRECATIONS_CHANNEL=null
9 10	LOG_LEVEL=debug
11	DB_CONNECTION=mvsal
12	DB_HOST=127.0.0.1
13	DB_PORT=3306
14	DB_DATABASE=u836745399_testmv
15	DB_USERNAME=u836/45399_testmv
17	
18	BROADCAST_DRIVER=log
19	CACHE_DRIVER=file
20	FILESYSTEM_DRIVER=local
21	QUEUE_CUNNECIIUN=SYNC
22	SESSION_DRIVER-ITE
24	
25	MEMCACHED_HOST=127.0.0.1
25	

Its Done !! Now check the admin panel is it opening or not

To check the admin panel https://your\_domain\_name.com/admin/ example: https://invikta.in/admin/ Its Default Email and password is: Email: <u>admin@admin.com</u> Password: 123456

	Olime	
	Thank You, See You Later !	
	Please login to start your session	
	Email 1	
	≜ Sign in	
	Forgot the password ? Click here	

User App URL : <u>https://your-domain.in/app/</u>

TEST PHONE: 9876543210 TEST OTP: 1234

Rider App URL: <a href="https://wour-domain/app/dboy/">https://wour-domain/app/dboy/</a>

TEST PHONE: 9876543210 TEST OTP: 123456

Seller App URL: <a href="https://wour-domain/app/shop/">https://wour-domain/app/shop/</a>

TEST PHONE: 9876543210 TEST OTP: 123456

Manager App URL: <a href="https://wour-domain/app/sadmin/">https://wour-domain/app/sadmin/</a>

TEST PHONE: 9876543210 TEST OTP: 1234

## SMS OTP authentication for verification of users

▶ file manager  $\rightarrow$  public\_html  $\rightarrow$  app  $\rightarrow$  proxy.php  $\rightarrow$  Line no 13

prov3.prip			-	
mv > app > proxy.php				
hp				
ssion_start();				
lude 'pay/db.php';				
ONE=\$ GET['phone']:				
P=\$ GET['otp'];				
1. II.1. C. 201	261			
Sapi= ietassocaec	abo2ADT-\$cmanoi&DHONE-\$	PHONE&OTD-COTD"		
<pre>url=curl init(\$URL):</pre>	Sub- Ar 1- Sub- Car lone- S	Howedorr-porr ,		
1 setopt(\$cur1,CURLOPT URL,\$UR	L);			
1_setopt(\$cur1,CURLOPT_RETURNT	RANSFER, true);			
<pre>sp=curl_exec(\$curl);</pre>				
1_close(\$curl);				
<pre>\$data=ison decode(\$resn):</pre>				
#####_Joon_#############################				
				-
header('Content-Type: applica	tion/json; charset=utf-	8');		
echo \$data=json_decode(\$resp)	0076542040134			
it(\$url==`SUCCESS' or \$phone==	98/6543210*){			
	<pre>mv &gt; app &gt; proxy.php ap ssion_start(); lude 'pay/db.php'; DNE=\$_GET['phone']; ==\$_GET['otp']; sapi="lefa39bcaec _="https://sms.renflair.in/Vl.; _=cotort(\$cur],CURLOPT_URL_\$URL setort(\$cur],CURLOPT_URL_\$URL setort(\$cur],CURLOPT_URL_\$URL setort(\$cur],CURLOPT_URL_\$URL setort(\$cur],CURLOPT_URL_\$URL setort(\$cur],CURLOPT_URL_\$URL setort(\$cur],CURLOPT_URL_\$URL setort(\$cur]; close</pre>	<pre>mw &gt; app &gt; proxy.php ap ssion_start(); Lude 'pay/db.php'; DNE=5_GET['phone']; ==5_GET['otp']; sapi="lefa39bcaccompartment" =="https://sms.renflair.in/V1.php?API=5sm:mel&amp;PHONE=5! _=clor1_init(SURL); setopt(scurl.CURLoPT_RRTURNTRANSFER,true); close(\$curl); cl</pre>	<pre>mw &gt; app &gt; proxy.php ap ssion_start(); Lude 'pay/db.php'; DNE=5_GET['phone']; ==5_GET['phone']; ==5_GET['phone']; ==5_GET['phone']; ==chttps://sms.renflair.in/V1.php?API=5smsmi&amp;PHONE&amp;OTP=\$OTP"; ==chttps://sms.renflair.in/V1.php?API=5smsmi&amp;PHONE&amp;OTP=\$OTP"; ==chttps://sms.renflair.in/V1.php?API=5smsmi&amp;PHONE&amp;OTP=\$OTP"; ==chttps://sms.renflair.in/V1.php?API=5smsmi&amp;PHONE&amp;OTP=\$OTP"; =_cetort(\$curl.(CRLOPT_RETURNTRANSFER,true); =_cetort(\$curl.(CRLOPT_RETURNTRANSFER,true); =_close(\$curl); _close(\$curl); bdata=json_decode(\$resp); header('Content-Type: application/json; charset=utf-8'); echo \$data=json_decode(\$resp); [f(surl=s'SUCCES' or \$phone=='9875543210'){</pre>	<pre>mw &gt; app &gt; proxy.php ap ssion_start(); Lude 'pay/db.php'; &gt;=5_GET['phone']; ==5_GET['otp']; sapi="lefa39bcaec36"; =="https://sms.renflar.in/V1.php?API=Ssmarni&amp;PHONE=SPHONE&amp;OTP=SOTP"; 1=curl_init(SURL); _estort(Scurl, CURLOPT_RETURNTRANSFER,true); _estort(Scurl,CURLOPT_RETURNTRANSFER,true); _estort(Scurl); bdata=json_decode(Sresp); header('Content-Type: application/json; charset=utf=8'); echo Sdata=json_decode(Sresp); header(CCSS) or Sphone="9397543218'){</pre>

➢ Go to Renflair.in/sms.php → In API info → copy API key → paste on proxy.php → Line no 13



> Recharge your OTP balance .

\*\*\*\* if you want to send SMS to user after order placed then follow these steps\*\*\*\*

<>e	💭 🐾 srv1130-files.hstgr.io/6074799/64a1a017/files/public_html/mv/app/orderprocess.php	Q
× o	rderprocess.php	
<b>↑</b> > > mv	/ > app > orderprocess.php	_
133       \$sql@         134       \$qry@         135       \$resda         136       echd         137       echd         138       139         140       \$SMS_         141       \$scml         142       \$URL=         143       \$curl_         144       curl_         145       curl_         146       \$resp         147       curl_         150       \$URL=         151       \$curl_         152       curl_         153       curl_         154       \$resp         155       curl_         156       \$data         157       \$scera         158       \$seeco         159       \$devi         150       \$data         157       \$scera         158       \$seeco         150       \$data         157       \$scera         158       \$seeco         150       \$data         150       \$seeco	<pre>&gt;="SELECT * FROM 'orders' WHERE temp=\$TEMP"; &gt;=mysql1_query(\$conn,\$sql0); &gt;=mysql1_fetch_assoc(\$qry0); &gt; \$0ID=\$res0['id']; &gt; \$Username = preg_replace('/\s+/', '', \$username');; API="lefa39bca</pre>	

➢ Go to Renflair.in/sms.php → In API info → copy API key
file manager → public\_html → app → paste on orderprocess.php → Line no 140

#### **RAZORPAY PAYMENT GATEWAY SETUP:**

File manager → public\_html → app → razorpay → config.php → Line no 12 and 13

k?php
include '/pay/db.php';
<pre>// \$sql2l="SELECT " FROM payment' WHERE id=1";</pre>
<pre>// \$qry21=mysql1_query(\$conn,\$sql21); // farseline for the second for the se</pre>
// preszi=mysqii_tecch_assoc(pqryzi);
// SkevId = Snes21['kevid']:
// SkeySecret =Sres21['secretid']:
() further of the second ()
<pre>\$keyId = 'rzp_live_OtF Hgs';</pre>
<pre>\$keySecret = Do75tWREG</pre> 2tn3DnF';
<pre>\$displayCurrency = 'INR';</pre>
error_reporting(E_ALL);
<pre>ini_set('display_errors', 1);</pre>

File manager → public\_html → app → razorpay → verify.php → Line no 44 and 45

×	verify.php
$\rightarrow$	> app > razorpay > verify.php
35 -	it(!isset(%_SESSION['nazonpay_onder_id'])){
36	<pre>\$razorpayOrderId= \$_COOKIE['razorpay_order_id'];</pre>
37	}
38	
39	<pre>\$razorpayOrderId=\$_COOKIE['razorpay_order_id'];</pre>
40	
41	// SkeyId= rzp_test_P505r8jAeph0gc ;
42	// skeysecrec= cjsssmoncpyosozsidzozsio ;
43	SkeyId - 'rzo live O
45	SkeySecret = Do75tkR
46	and a second s
47	<pre>\$razorpayKey = \$keyId;</pre>
48	<pre>\$razorpaySecret = \$keySecret;</pre>
49	
50	
51	<pre>\$sql30="SELECT * FROM 'orders' WHERE razorpay_id='\$razorpayOrderId'";</pre>
52	<pre>\$qry30+mysqli_query(\$conn,\$sql30);</pre>
53	<pre>\$res30=mysqli_fetch_assoc(\$qry30);</pre>
54	<pre>\$TRY=\$res30['try']-1;</pre>
55	

➢ file manager → public\_html → app → razorpay → check.php → Line no 13 and 14

× check.php

4	session start();	
5	require once 'common.php';	
6	require('Razorpay.php');	
7	use Razorpay\Api\Api;	
8	use Razorpay\Api\Errors\SignatureVerificationError;	
9		
10	<pre>// \$keyId="rzp_test_P505r8jAephUgc";</pre>	
11	<pre>// \$keySecret="Ljsssm0hcpybSD2J1q2u2si6";</pre>	
12		
13	<pre>\$keyId = 'rzp_live_OtFLT' gs';</pre>	
14	<pre>\$keySecret ='Do75tWREGWqa tnJDnF';</pre>	
15		
16	<pre>\$razorpayKey = \$keyId;</pre>	
17	<pre>\$razorpaySecret = \$keySecret;</pre>	
18		
19		
20	<pre>\$sql30="SELECT * FROM `orders` WHERE status='PENDING PAYMENT'</pre>	A
21	<pre>\$qry30=mysqli_query(\$conn,\$sql30);</pre>	
22 *	<pre>while(\$res30=mysqli_fetch_array(\$qry30)){</pre>	
23	<pre>\$razorpayOrderId = \$res30['razorpay_id'];</pre>	
24	echo \$0ID=\$res30['id'];	
25	<pre>\$SID=\$res30['shop_id'];</pre>	

#### Google Map Setup

If you want to use Google Map then You Need to Get Google Map API Key from here: <u>https://console.cloud.google.com/</u> refer video help: <u>https://www.youtube.com/watch?v=7xc4iQOCC-0</u>

After you Get the API Key paste in the marked place



file manager  $\rightarrow$  public\_html  $\rightarrow$  app  $\rightarrow$  location.php  $\rightarrow$  Line no 46

NOTE: Google map is recommended because if u are in a small city the free map dosent have so much information to show. Most importantly use Google map api to load map faster and smoother user experience.

## Free Map Setup

In file manager  $\rightarrow$  public\_html  $\rightarrow$  app  $\rightarrow$  location-free-api.txt  $\rightarrow$  open the file and copy all the content. Then go to **location.php** page then replace the whole content with the existing . ie. Delete all the lines in existing location.php , then get the copied content from *location-free-api.txt* and paste in location.php.

> e 🛛 🛛	srv1130-files.hstgr.io/6074799f64a1a017/files/public_html/mv/app/		⊕ 🖒 😳 🔺	🔲 🖬 🏠 🔍 VPN
C Search			III ± ±	•••
Myfiles	home.php	30.23 KiB	2 hours ago	
iviy nes	icon-512x512.png	13.99 KiB	2 hours ago	
+ New folder	<>> icons.json	10.55 KiB	2 hours ago	
Now fla	index.php	4.14 KiB	2 hours ago	
+ New file	index1.php	11.49 KiB	2 hours ago	
Trash bin	jquery.js	86.08 KiB	2 hours ago	
	location-free-api.txt	9.62 KiB	15 minutes ago	
расе	location-google-map.txt	13 KiB	17 minutes ago	
8.19 GiB / 200 GiB	location.gif	252.42 KiB	2 hours ago	
nodes	location.php	13 KiB	14 minutes ago	
79347 / 2000000	location0.php	6.69 KiB	2 hours ago	
29°C Sunny	💾 Q. Search 🛛 🛤 🧰 💽	🗉 🧆 👽 💷 🧿	🚺 🔗 🔤 🦛 🔹 🗤	5 奈 (4)) 🗁 13:37 08- <u>11-2024</u>

- ANDROID PART CONFIGURATION IS GIVEN IN THE VIDEO
- LOUD NOTIFICATION SETTING GIVEN IN VIDEO

WARNING : The purchased source code is licensed for use on a single domain only. Unauthorized use of this code on multiple domains will constitute a violation, and legal action may be taken for digital asset piracy. This license grants you lifetime use of the code for one domain, but resale, redistribution, or any form of transfer to third parties is strictly prohibited.